

















Samples - Standard Folding Machine Belts 1 of 3

	<p>Folding Machine Belt - Cotton - extra strong Polyester share in the weft 2 red double stripes 50 and 60 mm wide 100 m/roll</p>
	<p>Folding Machine Belt - Cotton - extra strong 2 blue stripes 25, 35, 40, 50, 90 and 112 mm wide 100 m/roll</p>
	<p>Folding Machine Belt - Cotton - with Lycra 1 blue stripe 40 and 50 mm wide 100 m/roll</p>
	<p>Folding Machine Belt - Cotton - with rubber 35, 50 and 60 mm wide 100 m/roll</p>
	<p>Folding Machine Belt - Cotton - silver threads 50 mm wide 100 m/roll ANTISTATIC-BELT</p>
	<p>Folding Machine Belt - Cotton - KANNEGIESSER Both edges reinforced by Polyester 40 and 50 mm wide 100 m/roll</p>

Samples - Special Folding Machine Belts 2 of 3

	<p>EL3-U15-FL green/black 40 and 50 mm wide 100 m/roll</p> <p>KANNEGIESSER folding machines</p>
	<p>HAG-12E structured green surface 40 and 48 mm wide 50 m/roll</p> <p>JENSEN dry folding machines Tematic, Minimat,...</p>
	<p>2M8-U0 V7 ripped black surface 40 and 50 mm wide 100 m/roll</p> <p>KANNEGIESSER stacker <i>NEW</i></p>
	<p>2M8-U0 UG soft green honeycomb surface 48, 85, 120 and 150 mm wide 50 m/roll</p> <p>JENSEN dry folding machine Maximat, Minimat,...</p>
	<p>SAG-8E nipped surface - black 50 and 90 mm wide 100 m/roll</p> <p>KANNEGIESSER stacker <i>OLD</i></p>

Samples - Special Folding Machine Belts 3 of 3

	<p>NOVO E 2 Elastomeric belt with bright grey textile surface 49 and 112 mm wide 100 m/roll</p> <p>perforated for KANNEGIESSER feeder non-perforated for various feeders</p>
	<p>ELASTIC COTTON BELT with synthetic Elastan (no natural rubber) 50 and 118 mm 50 m/roll</p> <p>87 mm wide for OLMA 118 mm wide for KANNEGIESSER stacker</p>
	<p>E 2/10/V/NOVO dark grey soft-surface 49 and 112 mm wide 50 m/roll</p> <p>perforated for KANNEGIESSER feeder</p>
	<p>POLYESTER FEEDING BELT Needled-Felt <u>non-perforated</u> 50, 80, 88, 100 and 113 mm wide <u>perforated</u> 50, 88 and 113 mm wide approx. 50 m/roll JENSEN feeder (G148...) and VEGA dry folding machines.</p> <p>Available endless with oblical seam too.</p>
	<p>TWB-HT heat resistant, self-adherent 50 and 70 mm wide approx. 50 m/roll</p>